We claim:

10

.15

20

25

A method for scheduling a complex activity that uses consumable resources and is governed by a set of predefined constraints, wherein an unacceptable schedule exists for the activity, the method comprising the steps of:

establishing the unacceptable schedule as a current schedule;

calculating a score for the current schedule;

repairing one or more of the constraint violations of the current schedule by modifying the current schedule;

determining a revised schedule from the schedule modification or modifications made by the constraint violation repair or repairs;

calculating a score for the revised schedule;

selecting one of the revised schedule or the current schedule as the new current schedule based upon a comparison of the score of the revised schedule and the score of the current schedule;

repeating, until a predetermined condition is met, the steps of repairing one or more of the constraint violations of the current schedule, determining a revised schedule, calculating a score for the revised schedule, and selecting one of the revised schedule or the current schedule as the new current schedule; and

selecting one of the revised schedules as the final schedule.

- 2. A method as in Claim 1, wherein the step of selecting a new current schedule further comprises the step 30 of selecting as the new current schedule the schedule that has the better score.
 - 3. A method as in Claim 1, wherein the step of selecting a new current schedule further comprises the step of occasionally selecting as the new current schedule the

schedule that has the worse score.

- 4. A method as in Claim 1, wherein the step of selecting a final schedule further comprises the step of selecting the most recently determined current schedule as 5 the final schedule.
- 5. A method as in Claim 1, further comprising the step of storing the revised schedule having the best score, and wherein the step of selecting a final schedule further comprises the step of selecting the revised schedule having 10 the best score as the final schedule.
- 6. A method as in Claim 1, wherein the score is a function of the relative importance of each constraint and the degree of violation of each constraint.
 - 7. A method as in Claim 1, wherein:
 - the score is a function of a multiplicity of penalties and weights;

one penalty is associated with each constraint, each penalty representing the degree of violation, if any, of the constraint; and

one weight is associated with each constraint, each weight representing the relative importance of the constraint.

- 8. A method as in Claim 1, wherein the constraint violations are repaired so that the repaired constraint 25 violation or violations are less severe than before the repair.
 - 9. A method as in Claim 1, wherein the predetermined condition is obtaining a schedule having a score that is better than a predetermined threshold score.

PA1\338528.04

20

58

- 10. A method as in Claim 1, wherein: the activity is a manufacturing operation; and the consumable resources are inventory.
- 11. A method as in Claim 1, wherein:

5 the activity is a maintenance and repair operation; and

the consumable resources are components or materials used to effect the maintenance or repair.

12. A system for scheduling a complex activity that 10 uses consumable resources and is governed by a set of predefined constraints, wherein an unacceptable schedule exists for the activity, comprising:

a memory device, wherein:

the memory device is capable of storing an unacceptable initial schedule that is supplied to the system;

the memory device stores information regarding each of the constraints; and

the memory device is capable of storing one or more revised schedules produced by the system; and

a processing device, wherein:

the processing device is capable of calculating a score for each schedule;

the processing device is capable of repairing one or more constraint violations for each schedule by modifying the schedule;

the processing device is capable of determining each revised schedule from the schedule modification or modifications made by the constraint violation repair or repairs;

the processing device is capable of selecting one of the revised schedule or the current schedule as the new current schedule based upon a

PA1\338528.04

59

20

15

25

30

comparison of the score of the revised schedule and the score of the current schedule; and

the processing device is capable of selecting one of the revised schedules as the final schedule determined by the system.

14

5

10

15

20

3. A system as in Claim 12, wherein:

the memory device is capable of storing the revised schedule having the best score; and

the processing device is capable of selecting the revised schedule having the best score as the final schedule.

15 14. A system as in Claim 12, wherein:

the constraint information stored by the memory device includes a description of the constraint, a penalty function, a constraint weight, and a repair method for the constraint;

the score calculated by the processing device for each schedule is a function of the penalty caused by the schedule for each constraint and the weight for each constraint; and

the repair performed by the processing device for each constraint violation is performed using the repair method associated with the constraint.

25. A system as in Claim 22, further comprising a user 25 input device.

16. A system as in Claim 12, further comprising a display device.

A system as in Claim 22, wherein: the activity is a manufacturing operation; and the consumable resources are inventory.

00

30

the activity is a maintenance and repair operation; and

the consumable resources are components or materials used to effect the maintenance or repair.

Ray

PA1\338528.04

 $_{\mathscr{Q}}\setminus$